



**Benefits:**

**Enhances flower and fruit set**

**Improves soil structure**

**Provides rare-elements**

**Increases fertilizer uptake**

**Reduces nutrient leaching**

**Induces drought tolerance**

**Builds plant immunity**

**Provides phytoestrogens**

**Stimulates microbial activity**

**Applications:**

**Soil Systems**

**Irrigation/Injectors**

**Hydroponics**

**Hand Watering**

**Foliar Sprays**

**Compost Tea Activation**

**More..**



A combination of soluble seaweed extract from Norway, HumiSolve USA and seven micronutrients required for plant growth. Applied as a foliar spray on fruit, flowers and vegetables just prior to bloom or bud stage, it will enhance flowering and fruit set quality, quantity and retention. On turf it provides greater nitrogen uptake resulting in a lush, dark green color and a healthier root system from increased photosynthesis. Cytoplus can also be applied to plants during the growing season to quickly correct micronutrient deficiencies and improve overall plant health. Provides a large profile of essential and rare elements; as well as phytoestrogens in small quantities. Cytoplus is a soluble, dry powdered concentrate that can be used in a wide variety of applications including: dry broadcast for turf and farms, hydroponic, irrigation, and hand watered applications. Excellent for foliar applications and used in compost tea activation.

**N-P-K (0-0-7.5)**

**Guaranteed Analysis:**

Boron (B).....0.25%	Manganese (Mn).....0.8%	Soluble Potash (K2O).....7.5%
Cobalt (Co)..... 0.035%	Molybdenum (Mo).....0.05%	
Copper (Cu)..... 0.13%	Sulfur (S).....3.25%	
Iron (Fe).....0.9%	Zinc (Zn).....0.5%	

Non-plant food ingredients: Humic acid 38% and Fulvic Acid 9%, Seaweed Extract 25% (derived from Ascophyllum Nodosum)

Derived From: Boron, cobalt sulfate, copper sulfate, ferrous sulfate, manganese sulfate, sodium molybdate, zinc sulfate, and chelated with humic and fulvic acids (derived from fresh water cretaceous humate deposits) and mannitol.

**General Application Rates**

**Soil and Container plants:** 1 - 1.5g/gal of irrigation solution.

**Hydroponic:** 0.5 - 1g/gal of nutrient solution used in reservoir (use with every change.

Top-offs can be chared iwth 1/4-1/2 normal rate).

**Foliar Rates:** 0.75g/gal every 7 - 10 days.

**Field Use:** 2 - 4lbs/acre every 3 - 6 weeks.

**Pre-Plant Soil Conditioning/Bioremediation:** 5 - 10lbs/acre.

1/4 tsp= 1g      1/2tsp= 2g

\*Please note approx 10% is insoluble and can be cast in compost or garden. Exceeding application rates can cause irregular growth. Store dry and away from excessive heat.



Dr. Robert Faust, Founder/President  
Faust Bio-Agricultural Services, Inc. 6080 Wigrich Rd, Independence OR, 97351  
503.838.2467, techinfo@BioAg.com, www.BioAg.com

**Superior Source + Revolutionary Methods+ Decades of Experience = Results**